

GWAYLOCK

SMART ACCESS / OEM & ODM

TUYA-OPTION SMART LOCKS

Product Selection

Bilingual technical catalogue

42 SELECTED MODELS

Tuya-marked / Tuya-optional versions

No pricing included



APP / INSTALLATION NOTE

Models shown carry a Tuya logo in the supplied catalogue. Actual Tuya versions may be optional.
Please verify app configuration, mortise and door dimensions before ordering.

www.gwaylock.com

GWAYLOCK

MODEL INDEX

42 selected models | bilingual technical details

RS13	03	RS11 (No.)	24
RS15	04	RS12 (No.)	25
RS16	05	RS14 (No.)	26
RS17	06	RS14F	27
RS19	07	RS17 (No.)	28
RS20	08	RS18 (No.)	29
RS21	09	RS8H	30
RS23	10	RS11H	31
RS09HY	11	RS26H	32
RS60HY	12	RSJD1 (No.)	33
RS8K	13	RSJD2 (No.)	34
RS9K	14	RSJD4 (No.)	35
RS26K	15	RSJD7 (No.)	36
RS30K	16	RSJD8 (No.)	37
RS36	17	RS52C	38
RS36S	18	RS63C	39
RS39K	19	RS32H	40
RS49K	20	RS11C	41
RS49S	21	RS12C	42
RS50K	22	RS32C	43
RS62C	23	RS01D	44

All technical data are supplied for reference.

Confirm Tuya option and door compatibility before ordering.

RS13

智能房门锁
Smart room door lock

智能锁 (参数)



- 铝合金+碳钢，表面工艺：黑色喷漆
Aluminum alloy+Carbon steel, surface process: black spray paint
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：指纹，密码，刷卡，钥匙，微信小程序，涂鸦App (选配)，遥控 (选配)
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuya app(optional), remote control (optional)
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
遥控开锁 Remote unlocking	USB应急供电 USB emergency power supply	小程序 Mini Program

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS15

智能房门锁
Smart room door lock

智能锁 (参数)



- 铝合金+碳钢，表面工艺：黑色喷漆
Aluminum alloy+Carbon steel, surface process: black spray paint
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：指纹，密码，刷卡，钥匙，微信小程序，涂鸦app (选配)，遥控 (选配)
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuya app (optional), remote control (optional)
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文
Language navigation: Chinese, English




可选多种选配

Multiple Optional Options Available

指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
遥控开锁 Remote unlocking	USB应急供电 USB emergency power supply	小程序 Mini Program

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration


RS16

智能房门锁
Smart room door lock

智能锁（参数）



- 铝合金+碳钢，表面工艺：黑色喷漆
Aluminum alloy+Carbon steel, surface process: black spray paint
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度：-20℃-60℃
Working temperature: -20 °C -60 °C
- 开锁方式：指纹，密码，刷卡，钥匙，微信小程序，涂鸦App（选配），遥控（选配）
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuya app(optional), remote control (optional)
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



前后板尺寸一致
The dimensions of the front and rear panels are consistent


可选多种选配

Multiple Optional Options Available

指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
遥控开锁 Remote unlocking	USB应急供电 USB emergency power supply	小程序 Mini Program

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体 (6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS17

智能房门锁
Smart room door lock

智能锁（参数）



- 铝合金+碳钢，表面工艺：黑色喷漆
Aluminum alloy+Carbon steel, surface process: black spray paint
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度：-20℃-60℃
Working temperature: -20 °C -60 °C
- 开锁方式：指纹，密码，刷卡，钥匙，微信小程序，涂鸦App（选配）
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuya app(optional)
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



前后板尺寸一致
The dimensions of the front and rear panels are consistent


可选多种选配

Multiple Optional Options Available

指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

5050锁体 (5050 Lock Body)

标配22*160/Standard 22 * 160

RS19

智能房门锁 Smart room door lock

智能锁 (参数)



- 铝合金+碳钢，表面工艺：黑色喷漆
Aluminum alloy+Carbon steel, surface process: black spray paint
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度：-20℃-60℃
Working temperature: -20 °C -60 °C
- 开锁方式：指纹，密码，刷卡，钥匙，微信小程序，涂鸦App (选配)，遥控 (选配)
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuya app(optional), remote control (optional)
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available



适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS20

智能房门锁 Smart room door lock

智能锁 (参数)



- 铝合金+碳钢，表面工艺：黑色喷漆
Aluminum alloy+Carbon steel, surface process: black spray paint
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度：-20℃-60℃
Working temperature: -20 °C -60 °C
- 开锁方式：指纹，密码，刷卡，钥匙，微信小程序，涂鸦App (选配)，遥控 (选配)
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuya app(optional), remote control (optional)
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



可选多种选配

Multiple Optional Options Available



适配锁体

Adapt Lock Body



5050锁体 (标配)
5050 lock body (standard)

RS21

智能房门锁
Smart room door lock



智能锁 (参数)

- 铝合金+碳钢, 表面工艺: 黑色喷漆
Aluminum alloy+Carbon steel, surface process: black spray paint
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 指纹, 密码, 刷卡, 钥匙, 微信小程序, 涂鸦App (选配), 遥控 (选配)
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuyu app(optional), remote control (optional)
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



前后板尺寸一致
The dimensions of the front and rear panels are consistent

可选多种选配

Multiple Optional Options Available

- | | | |
|----------------------------|---------------------------------------|-------------------------|
| 指纹开锁
Fingerprint Unlock | 密码开锁
Password Unlock | 刷卡开锁
Swipe To Unlock |
| 钥匙开锁
Key Unlock | App开锁
App Unlock | WiFi开锁
WiFi Unlock |
| 遥控开锁
Remote unlocking | USB应急供电
USB emergency power supply | 小程序
Mini Program |

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体 (6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS23

智能房门锁
Smart room door lock



智能锁 (参数)

- 铝合金, 表面工艺: 黑色喷漆
Aluminum alloy, surface technology: black spray paint
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 指纹, 密码, 刷卡, 钥匙, 微信小程序, 涂鸦app
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuyu app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



前后板尺寸一致
The dimensions of the front and rear panels are consistent

可选多种选配

Multiple Optional Options Available

- | | | |
|----------------------------|---------------------------------------|-------------------------|
| 指纹开锁
Fingerprint Unlock | 密码开锁
Password Unlock | 刷卡开锁
Swipe To Unlock |
| 钥匙开锁
Key Unlock | App开锁
App Unlock | WiFi开锁
WiFi Unlock |
| 小程序
Mini Program | USB应急供电
USB emergency power supply | |

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体 (6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

5050锁体 (5050 Lock Body)

选配22*160/Optional 22 * 160

RS09HY

智能猫眼房门锁
Intelligent cat eye room door lock

智能锁 (参数)



- 铝合金
Aluminum alloy
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 误认率: <0.0005%
Misunderstanding rate: <0.0005%
- 100万像素高清摄像头+3.5寸显示屏+实时监控+门铃抓拍
1 million pixel high-definition camera+3.5-inch display screen+real-time monitoring+doorbell snapshot
- 开锁方式: 指纹, 密码, 刷卡, 钥匙, 涂鸦app (选配)
Unlocking method: fingerprint, password, swipe card, key, tuya app (optional)
- 适用门厚度: 35-60mm
Applicable door thickness: 1.38-2.36inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



前后板尺寸一致
The dimensions of the front and rear panels are consistent



可选多种选配

Multiple Optional Options Available



适配锁体

Adapt Lock Body



RS60HY

智能猫眼房门锁
Intelligent cat eye room door lock

智能锁 (参数)



- 铝合金
Aluminum alloy
- 四节全新AA碱性电池+1000mAh锂电池
Four brand new AA alkaline batteries+1000mAh lithium battery
- 误认率: <0.0005%
Misunderstanding rate: <0.0005%
- 100万像素高清摄像头+3.5寸显示屏+实时监控+门铃抓拍
1 million pixel high-definition camera+3.5-inch display screen+real-time monitoring+doorbell snapshot
- 开锁方式: 指纹, 密码, 刷卡, 钥匙, 涂鸦app (选配)
Unlocking method: fingerprint, password, swipe card, key, graffiti app (optional)
- 适用门厚度: 35-60mm
Applicable door thickness: 1.38-2.36inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



前后板尺寸一致
The dimensions of the front and rear panels are consistent



可选多种选配

Multiple Optional Options Available



适配锁体

Adapt Lock Body



RS8K

全自动智能锁 Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlock-ing, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标准尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS9K

全自动智能锁 Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标准尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS26K

全自动智能锁
Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金，表面工艺：喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：人脸识别，掌纹，指纹，密码，刷卡，钥匙，微信小程序，远程开锁，涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RS30K

全自动智能锁
Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金，表面工艺：喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：人脸识别，掌纹，指纹，密码，刷卡，钥匙，微信小程序，远程开锁，涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RS36

全自动智能锁

Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, Surface technology: painting
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+3.2寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+3.2-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	猫眼对讲 Cat Eye Intercom	指纹开锁 Fingerprint Unlock
密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock	钥匙开锁 Key Unlock
App开锁 App Unlock	WiFi开锁 WiFi Unlock	小程序 Mini Program
USB应急供电 USB emergency power supply		

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体

(6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS36s

全自动智能锁

Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体

(6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS39K

全自动智能锁

Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS49K

全自动智能锁

Fully Automatic Smart Lock

智能锁 (参数)




- 铝合金, 表面工艺: 喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	



标配尺寸
standard configuration

适配锁体

Adapt Lock Body

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS49s

全自动智能锁
Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RS50K

全自动智能锁
Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RS62C

全自动智能锁
Fully Automatic Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 氧化/喷漆
Aluminum alloy, Surface technology: oxidation/painting
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS11号

全自动人脸智能锁
Fully automatic facial intercom intelligent lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, surface process: spray painting
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+3.2寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+3.2-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦App
Unlocking methods: facial recognition, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya App
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room



可选多种选配

Multiple Optional Options Available

门铃抓拍 Doorbell snapshot	猫眼对讲 Cat Eye Intercom	人脸识别 Face Recognition
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	小程序 Mini Program
USB应急供电 USB emergency power supply		

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS12号

全自动人脸智能锁

Fully automatic facial intercom intelligent lock

智能锁 (参数)



- 铝合金，表面工艺：喷漆
Aluminum alloy, surface process: spray painting
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+3.2寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+3.2-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：人脸识别，指纹，密码，刷卡，钥匙，微信小程序，远程开锁，涂鸦App
Unlocking methods: facial recognition, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya App
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room




可选多种选配

Multiple Optional Options Available

门铃抓拍 Doorbell snapshot	猫眼对讲 Cat Eye Intercom	人脸识别 Face Recognition
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	小程序 Mini Program
USB应急供电 USB emergency power supply		

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS14号

全自动人脸智能锁

Fully automatic facial intercom intelligent lock

智能锁 (参数)



- 铝合金，表面工艺：喷漆
Aluminum alloy, surface process: spray painting
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+3.2寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+3.2-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：人脸识别，指纹，密码，刷卡，钥匙，微信小程序，远程开锁，涂鸦App
Unlocking methods: facial recognition, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

门铃抓拍 Doorbell snapshot	猫眼对讲 Cat Eye Intercom	人脸识别 Face Recognition
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	小程序 Mini Program
USB应急供电 USB emergency power supply		

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS14F

全自动人脸对讲智能锁

Fully automatic facial intercom intelligent lock

智能锁 (参数)



- 铝合金+一体铁后板, 表面工艺: 喷漆
Aluminum alloy+integrated iron back plate, Surface technology: painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS17号

全自动人脸智能锁

Fully automatic facial intercom intelligent lock

智能锁 (参数)




- 铝合金, 表面工艺: 喷漆
Aluminum alloy, surface process: spray painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦App
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, Tuya App
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	



标配尺寸
standard configuration

适配锁体

Adapt Lock Body

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS18号

全自动人脸智能锁

Fully automatic facial intercom intelligent lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, surface process: spray painting
- 3200mAh锂电池
3200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦App
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, Tuya App
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS8H

全自动可视对讲智能锁

Fully automatic visual intercom intelligent lock

智能锁 (参数)



- 铝合金, 表面工艺: 电镀/喷漆
Aluminum alloy, Surface technology: electroplating/painting
- 5000mAh锂电池
5000mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦App
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, Tuya App
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS11H

全自动可视对讲智能锁

Fully automatic visual intercom intelligent lock

智能锁（参数）



- 铝合金，表面工艺：喷漆。电镀肤感IML面板
Aluminum alloy, surface process: painting. Electroplated Skin
- 5000mAh锂电池
5000mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度：-20℃-60℃
Working temperature: -20℃-60℃
- 开锁方式：人脸识别，掌纹，指纹，密码，刷卡，钥匙，微信小程序，远程开锁，涂鸦App
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, Tuya App
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS26H

全自动可视对讲智能锁

Fully automatic visual intercom intelligent lock

智能锁（参数）



- 铝合金，表面工艺：喷漆。电镀IML面板
Aluminum alloy, Surface technology: painting Electroplating IML panel
- 5000mAh锂电池
5000mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度：-20℃-60℃
Working temperature: -20℃-60℃
- 开锁方式：人脸识别，掌纹，指纹，密码，刷卡，钥匙，微信小程序，远程开锁，涂鸦App
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, Tuya App
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RSJD1号

全自动可视对讲智能锁

Fully automatic visual intercom intelligent lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆。面板: CNC精雕工艺
Aluminum alloy, Surface technology: painting. Panel: CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	123 456 789 密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RSJD2号

全自动可视对讲智能锁

Fully automatic visual intercom intelligent lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆。面板: CNC精雕工艺
Aluminum alloy, surface process: painting. Panel: CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	123 456 789 密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RSJD4号

全自动人脸对讲智能锁

Fully automatic facial intercom intelligent lock

智能锁 (参数)



- 铝合金，表面工艺：喷漆。面板：CNC精雕工艺
Aluminum alloy, Surface technology: painting. Panel: CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：人脸识别，掌纹，指纹，密码，刷卡，钥匙，微信小程序，远程开锁，涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 Wifi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RSJD7号

全自动人脸对讲智能锁

Fully automatic facial intercom intelligent lock

智能锁 (参数)



- 铝合金，表面工艺：喷漆。面板：CNC精雕工艺
Aluminum alloy, surface process: painting. Panel: CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Vdeo intercom
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：人脸识别，掌纹，指纹，密码，刷卡，钥匙，微信小程序，远程开锁，涂鸦app
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙语，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 Wifi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RSJD8号

全自动人脸对讲智能锁

Fully automatic facial intercom intelligent lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆. 面板: CNC精雕工艺
Aluminum alloy, Surface technology: painting. Panel: CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Video intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦app
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, tuya app
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS52C

全自动CNC精雕智能锁

Fully automatic CNC precision carving Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 氧化/喷漆. AG磨砂面板, CNC精雕工艺
Aluminum alloy, surface process: oxidation/painting. AG frosted panel, CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS63C

全自动CNC精雕智能锁

Fully automatic CNC precision carving Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 氧化/喷漆. AG磨砂面板, CNC精雕工艺
Aluminum alloy, surface process: oxidation/painting. AG frosted panel, CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



标配尺寸
standard configuration

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS32H

全自动可视对讲智能锁

Fully automatic visual intercom intelligent lock

智能锁 (参数)




- 铝合金, 表面工艺: 电镀/喷漆. 面板: CNC精雕工艺
Aluminum alloy, surface process: electroplating/painting. Panel: CNC precision carving process
- 5000mAh锂电池
5000mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+可视对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+Video intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁, 涂鸦App
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking, Tuya App
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	



标配尺寸
standard configuration

适配锁体

Adapt Lock Body

6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

RS11C

全自动CNC精雕智能锁

Fully automatic CNC precision carving Smart Lock

智能锁 (参数)



- 铝合金，表面工艺：氧化/喷漆。AG磨砂面板，CNC精雕工艺
Aluminum alloy, surface process: oxidation/painting, AG frosted panel, CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：人脸识别，掌纹，指纹，密码，刷卡，钥匙，微信小程序，远程开锁
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RS12C

全自动CNC精雕智能锁

Fully automatic CNC precision carving Smart Lock

智能锁 (参数)



- 铝合金，表面工艺：氧化/喷漆。AG磨砂面板，CNC精雕工艺
Aluminum alloy, surface process: oxidation/painting, AG frosted panel, CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度：-20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式：人脸识别，掌纹，指纹，密码，刷卡，钥匙，微信小程序，远程开锁
Unlocking methods: facial recognition, palm prints, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking
- 适用门厚度：40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用：住宅，办公室，公寓，酒店，出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航：中文，英文，越南，葡萄牙，阿拉伯，俄语，泰语，西班牙，印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian



磨砂面
matte finish


可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)
标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RS32C

全自动CNC精雕智能锁

Fully automatic CNC precision carving Smart Lock

智能锁 (参数)



- 铝合金, 表面工艺: 氧化/喷漆. AG磨砂面板, CNC精雕工艺
Aluminum alloy, surface process: oxidation/painting. AG frosted panel, CNC precision carving process
- 4200mAh锂电池
4200mAh lithium battery
- 100万像素高清摄像头+4.5寸显示屏+3D人脸识别+实时对讲
1 million pixel high-definition camera+4.5-inch display screen+3D facial recognition+real-time intercom
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 开锁方式: 人脸识别, 掌纹, 指纹, 密码, 刷卡, 钥匙, 微信小程序, 远程开锁
Unlocking methods: facial recognition, palm print, fingerprint, password, swipe card, key, WeChat mini program, remote unlocking
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

人脸识别 Face Recognition	掌纹识别 Palmprint Recognition	猫眼对讲 Cat Eye Intercom
指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
小程序 Mini Program	USB应急供电 USB emergency power supply	

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration

RS01D

全自动断桥铝智能锁

Fully automatic bridge cut aluminum intelligent lock

智能锁 (参数)



- 铝合金, 表面工艺: 喷漆
Aluminum alloy, surface process: spray painting
- 四节全新AA碱性电池
Four brand new AA alkaline batteries
- 工作温度: -20°C-60°C
Working temperature: -20 °C -60 °C
- 3D人脸识别+IPX6防水防尘+全铝材质
3D facial recognition+IPX6 waterproof and dustproof+all aluminum material
- 开锁方式: 指纹, 密码, 刷卡, 钥匙, 微信小程序, 涂鸦app (选配), 遥控 (选配)
Unlocking method: fingerprint, password, swipe card, key, WeChat mini program, tuya app(optional), remote control (optional)
- 适用门厚度: 40-120mm
Applicable door thickness: 1.57-4.72inch
- 适用: 住宅, 办公室, 公寓, 酒店, 出租房
Applicable: residential, office, apartment, hotel, rental room
- 语言导航: 中文, 英文, 越南, 葡萄牙, 阿拉伯, 俄语, 泰语, 西班牙语, 印尼语
Language navigation: Chinese, English, Vietnamese, Portuguese, Arabic, Russian, Thai, Spanish, Indonesian




可选多种选配

Multiple Optional Options Available

指纹开锁 Fingerprint Unlock	密码开锁 Password Unlock	刷卡开锁 Swipe To Unlock
钥匙开锁 Key Unlock	App开锁 App Unlock	WiFi开锁 WiFi Unlock
遥控开锁 Remote unlocking	USB应急供电 USB emergency power supply	小程序 Mini Program

适配锁体

Adapt Lock Body



6068锁体
(6068 Lock Body)

标配24*240/Standard 24 * 240
选配30*240/Optional 30 * 240
选配30*388/Optional 30 * 388
选配40*388/Optional 40 * 388

标配尺寸
standard configuration